

**A blood stool test is a test that may use a special kit at home to determine whether the stool contains blood.**

**Have you ever had this test using a home kit?**

**Kentucky BRFSS 2001**

Geographic Groups	Total Respond.#	Yes			No		
		N	%	C.I.(95%)	N	%	C.I.(95%)
TOTAL	3346	1274	40.8	(38.4-43.3)	2072	59.2	(56.7-61.6)
ADDs							
Barren River	262	73	28.6	(23.0-35.0)	189	71.4	(65.0-77.0)
Big Sandy	173	54	32.2	(25.0-40.5)	119	67.8	(59.5-75.0)
Bluegrass	221	101	43.0	(35.6-50.7)	120	57.0	(49.3-64.4)
Buffalo Trace	190	65	35.1	(28.0-42.9)	125	64.9	(57.1-72.0)
Cumberland Valley	203	78	41.3	(33.9-49.1)	125	58.7	(50.9-66.1)
FIVCO	288	112	40.0	(33.8-46.5)	176	60.0	(53.5-66.2)
Gateway	233	94	36.1	(27.5-45.6)	139	63.9	(54.4-72.5)
Green River	192	80	40.7	(33.4-48.5)	112	59.3	(51.5-66.6)
Kentucky River	214	68	31.9	(25.4-39.2)	146	68.1	(60.8-74.6)
KIPDA	236	111	49.4	(42.3-56.5)	125	50.6	(43.5-57.7)
Lake Cumberland	232	75	30.6	(24.5-37.5)	157	69.4	(62.5-75.5)
Lincoln Trail	203	70	36.7	(29.6-44.3)	133	63.3	(55.7-70.4)
Northern Kentucky	221	97	41.5	(34.5-48.8)	124	58.5	(51.2-65.5)
Pennyrile	195	84	44.4	(37.0-52.0)	111	55.6	(48.0-63.0)
Purchase	283	112	38.6	(32.7-44.9)	171	61.4	(55.1-67.3)

Asked only to respondents age 50 and older.\*

#Use caution in interpreting data for total respondents less than 50. N = Cell Size, NH = Non-Hispanic,  
%

= Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level).

Percentages are weighted to population characteristics.

Unless stated differently above, Missing, 'Don't know', and Refused responses are excluded.